Promoting Trucking with Value Lonestar Truck Group InGear Newsletter May 2015



nGear

AERO HAS FOUND ITS EDGE

Presenting The Worlds First Extreme Efficiency Truck. The All-New Western Star 5700XE.



WESTERN STAR

LONESTAR TRUCK GROUP Your One-Stop Source for Trucks and Trailers SALES, PARTS & SERVICE

AN EFFICIENT TRUCK THAT'S STILL ALL TRUCK.

Yes, this is how we do areo at Western Star.

Optional Chassis Fairings

State-Of-The-Arts Headlights

Dual Air Intakes

Areodynamic Visor

We set out to build a truck that your drivers would fight over and still make your CFO smile. Or to put it another way, the 5700XE is the kind of truck that both makes you money and delivers an incredible driving experience.



TORQUE AIR SPRINGS FOR CAB & CHASSIS

Ask about bulk purchase pricing.

TR9069 Suspension Air Spring

Replaces: 1R12-069 W01-358-9069 AS8312P

TR9780 Suspension Air Spring w/ Plastic Piston

\$89.95

Replaces: W01-377-9780 AS 9780P 1R12-303

TR9781 Suspension Air Spring w/ Aluminum Piston

Replaces: W01-377-9781 W01-377-8529 680-320-00-17

TR7087 Cabin Air Spring

ŞZ9.95

Replaces: W02-358-7087 1S5-040 141174

TR7215 Cabin Air Spring

TOROUE

AIR SPRINGS

Replaces: W02-358-725 AS72150 18-40977-000

TR7205 Cabin Air Spring

Replaces: W02-358-7205 W02-377-7205 66003-3406

Parts pictures are for reference only. — Actual parts may vary. — Prices good through June 30, 2015

Air Spring Installation is available at all Lonestar Truck Group Service Departments.



INSPECTING AIR SPRINGS:

Air Spring Suspension Preventative Maintenance Checklist

1. Inspect the O.D. (Outside Diameter) of the air spring. Check for signs of irregular wear or heat cracking.

2. Inspect air lines to make sure contact doesn't exist between the air line and the 0.D. of the air spring. Air lines can rub a hole in an air spring very quickly.

3. Check to see that there is sufficient clearance around the complete circumference of the air spring while at its maximum diameter.

4. Inspect the 0.D. of the piston for buildup of foreign materials. (On a reversible sleeve style air spring, the piston is the bottom component of the air spring).

5. Correct ride height should be maintained. All vehicles with air springs have a specified ride height established by the O.E.M. manufacturer. This height, which is found in your service manual, should be maintained within 1/4". This dimension can be checked with the vehicle loaded or empty.



Age Cracking



Over Extension



Trapped Debris




6. Leveling valves (or height control valves) play a large part in ensuring that the total air spring system works as required. Clean, inspect and replace, if necessary.

7. Make sure you have the proper shock absorbers and check for leaking hydraulic oil and worn or broken end connectors. If a broken shock is found, replace it immediately. The shock absorber will normally limit the rebound of an air spring and keep it from overextending.

8. Check the tightness of all mounting hardware (nuts and bolts). If loose, re-torque to the manufacturer's specifications. Do not over-tighten.

This documentation provided by Firestone Air Ride Springs.





11 Locations to Serve You

CONESTAR TRUCK GROUP | ABILENE 1.800.535.0826

DINESTAR TRUCK GROUP | ALBUQUERQUE 1.800.535.6470



LONESTAR TRUCK GROUP | BRYAN 1.866.727.9222

DINESTAR TRUCK GROUP | FARMINGTON 1.800.535.9031

LONESTAR TRUCK GROUP | SAN ANGELO 1.800.901.9973

LONESTAR TRUCK GROUP | SHREVEPORT 1.877.700.9955



LONESTAR TRUCK GROUP | TEXARKANA 1.866.940.8444



LONESTAR TRUCK GROUP | TYLER 1.877.600.2575



LONESTAR TRUCK GROUP | WACO 1.888.700.9735

DINESTAR TRUCK GROUP | WICHITA FALLS 1.800.903.0322

www.LonestarTruckGroup.com

GREAT BUYS on new and used trucks and trailers

MAY 2015



2007 Freightliner M2 106, C7 Caterpillar Engine 210 hp; Diesel Fuel Type; Automatic OD; Leaf Springs Susp; 4.11 Ratio; 11R22.5 Tires; All Steel Wheels; 190 in WB; New 15' Roustabout Bed, Mechanical Winch, 223,000 Miles. (7HY20657-ABL-1)



2015 Western Star Conventional Day Cab, Detroit DD16, 1850 Torque, 500 HP, 18 Spd, Air Ride Suspension, 4.30 Ratio, 265" Wheelbase, Aluminum Front Wheels, Steel Rear Wheels, 425/65R22.5 Front Tires, 24.5 Rear Tires. New. (FLGT9657-FAR-1)



2009 Freightliner CA12564 Day Cab Cascadia, S60 14L Detroit Engine 455 hp; 10 Spd OD; Diesel; Engine Brake; Air Ride Suspension; 3.58 Ratio; 22.5LP Tires; All Steel Wheels; 192 in Wheelbase; 570,000 Miles. (9LAK5159-TEM-1)



2007 Freightliner C112 Century, 34" Flat Top Sleeper; C-13 Caterpillar Engine 430 hp; Diesel; 10 Spd OD; Engine Brake; Air Ride Suspension; 3.42 Ratio; LP 22.5 Tires; All Steel Wheels; 899,000 Miles. (7LU68460-WAC-1)



2016 Transcraft EAGLE II Model; Flatbed, 53' x 102", Air Ride Suspension, Aluminum Floor; 22.5 LP Tires; Aluminum Wheels; Sliding Spread Tandem Axle; Combination Composition. New. (G3924103-ABQ-TRL-1)



2007 Freightliner CL120 Columbia, 48" Flatbed, Detroit Series 60 12.7, 425 HP, 10 Spd OD, 3.55 Ratio, 235" Wheelbase, 22.5 LP Tires, Aluminum Front Wheels, Aluminum Outer Wheels, 714,989 Miles. (7DY10657-SAN-1)



2012 Freightliner CC12264 Coronado SD, ISX Cummins Engine 500 hp; Diesel; 10 Spd OD; Air Ride Susp; 3.70 Ratio; 24.5 LP Tires; Aluminum Outside Wheels; 220 in Wheelbase. 305,876 Miles. (CDBK0286-TXK-1)



2011 Kenworth T700, 75 in Hi Pro Sleeper, Double Bunk; ISX15 Cummins Engine 450 hp; 10 Spd OD; Engine Brake; Air Ride Suspension; 3.55 Ratio; 22.5 Tires; Aluminum/ Steel Wheels; 230" Wheelbase; Tri Pack APU, 414,138 Miles. (BJ285034-WFF-1)

Call for confidential pricing — WE WILL DEAL!



2007 Freightliner CL112 Columbia, 58" Mid Roof Sleeper; MBE4000 Mercedes Engine 450 hp; Diesel; 10 Spd; Air Ride Suspension; 3.55 Ratio; 22.5 LP Tires; Aluminum/Steel Wheels; 210 in Wheelbase, 817,000 Miles. (7LX50296-BRY-1)



2009 Freightliner CA125 Cascadia, 70 in Mid Roof XT Sleeper; DD15 Detroit Engine 475 hp; 13 Spd; Engine Brake; Air Ride Suspension; 3.07 Ratio; 24.5 LP Tires; All Aluminum Wheels; 240 in Wheelbase, 589,509 Miles. (9LAF1550-SHV-1)



2011 Freightliner Cascadia, 70" Sleeper, Detroit DD15 Engine, 475 HP, Engine Brake, 10 Spd, Air Ride Suspension, 3.55 Ratio, 234" Wheelbase, 22.5 LP Tires, Aluminum Front Wheels, Aluminum Outer Wheels, 512,430 Miles. (BLAV7380-TYL-1)



2016 Reitnouer 48' x 102", Aluminum Big Bubba Flat Bed Trailer, WSAR, 22.5 LP Tires, Aluminum Wheels, Spread Axle. New. (GR036089-TXK-TLR-1a)

Lonestar Truck Group is your place for quality used trucks



2015 Western Star 4900 SF Glider, S.60 12.7 Liter Detroit Engine 500 hp; Diesel; 10 Spd OD; Engine Brake; Air Ride Suspension; 3.90 Ratio; 11R24.5 Tires; All Aluminum Wheels; 220 in Wheelbase. New. FPGS6387-ABL-2)



2015 Freightliner Coronado 132, 48" Mid Roof Sleeper, Detroit DD16, 13 Spd, 3.42 Ratio, 265" Wheelbase, All Aluminum Wheels, 24.5 Tires, Big Power, 1850 Lb/Ft Torque, No Lube 5th Wheel, 2 Year Virtual Tech, Warranty. New. (AF275050-ABQ-3)



2015 Western Star 4700SB, DD13 Detroit Diesel, Engine 470 HP; Automatic OD; Engine Brake; TufTrac Suspension; 4.30 Ratio; Aluminum/Steel Wheels; 220" Wheelbase. Double Locking Diffs, 104" after frame. New. (FLGX3464-FAR-2)



2015 Freightliner CC122 Coronado SD, Detroit DD15 Engine, 10 Spd, Air Ride Suspension, 3.55 Ratio, 220" Wheelbase, 24.5 Tires, Aluminum Front Wheels, Steel Rear Wheels. New. (FDGN2935- SAN-3)



2007 Western Star 4900EX Lowmax, 82 in Stand Up Sleeper; S.60 14 Liter Detroit Engine 515 hp; Diesel; 13 Spd OD; Engine Brake; Air Ride Suspension; 3.58 Ratio; 24.5 LP Tires; All Aluminum Wheels; 929,000 Miles. (7PY49425-ABL-3)



2007 Freightliner CL 120 Columbia, Detroit Series 60 14L Engine, 10 Spd, Air Ride Suspension, 3.58 Ratio, 195" Wheelbase, 22.5 LP Tires, All Aluminum Wheels, 617,000 Miles. (7LY85199-BRY-2)



2015 Western Star 4900SB, DD16 Detroit Engine 500 hp; Diesel; 18 Spd OD; Engine Brake; AirLiner Suspension; 4.30 Ratio; 22.5/24.5 Tires; Aluminum/Steel Wheels; 265 in Wheelbase. New. (FLGT9657-FAR-3)



2015 Freightliner Coronado, 70" MRXT Sleeper, Detroit DD15 Engine, 10 Spd, Air Leaf Suspension, 3.36 Ratio, 262" Wheelbase, 2.45 Tires, All Aluminum Wheels, Warranty. New. (FDGB8235-SHV-2)



2015 Freightliner CA125 Cascadia, 72' Premium High Roof; 6 cylinder Detroit Engine 455 hp; Diesel; 13 Spd OD; Engine Brake; 4 Bag Air Ride Suspension; 3.58 Ratio; 22.5 Tires; All Aluminum Wheels; 232 in Wheelbase. New. (FSGJ3744-ABQ-2)



2005 Peterbilt 379EXHD, C13 Caterpillar Engine 435 hp; Diesel; 10 Spd; Air Ride Suspension; 24.5 Tires; Aluminum/Steel Wheels; 235 in Wheelbase, 834,000 Miles. (5N859881-BRY-3)



2009 Freightliner CL120 Columbia, 70" Mid Roof Sleeper, Mercedes MBE4000 Engine, 10 Spd, Air Ride Suspension, 3.42 Ratio, 239" Wheelbase, 22.5 LP Tires, Aluminum Front Wheels, Steel Rear Wheels, 684,448 Miles. (9LAJ2018-SAN-2)



2012 Freightliner CA125 Cascadia, 70 in Hi Rise Sleeper; DD15 Detroit Engine 475 hp; Diesel; 10 Spd OD; Engine Brake; Air Ride Suspension; 3.08 Ratio; 22.5 LP Tires; Aluminum Wheels; 451,627 Miles. (CSBH8472-SHV-3)

Many models & colors to choose from



2011 Kenworth T660, 70 in Single Bunk; PX13 Paccar Engine 485 hp; Diesel; 10 Spd OD; Engine Brake; Air Ride Suspension; 3.42 Ratio; 24.5LP Tires; Aluminum/Steel Wheels; 425,000 Miles. (BJ290158-TEM-2)



2015 Western Star 4900FA Glider, Day Cab, Detroit Series 60 12.7, 500 HP, 10 Speed Transmission, Airliner Suspension, 3.90 Ratio, 11R24.5 Tires, All Aluminum Wheels. New. (FPGL6514-TXK-3)



2010 Freightliner C125 Cascadia, 60" Mid Roof Sleeper, Detroit DD15 Engine, 10 Spd, 3.58 Ratio, 234" Wheelbase, 22.5 LP Tires, New Virgin Rubber, New All Aluminum Wheels, 576,000 Miles. (ALAN5648-WAC-2)



2011 Peterbilt 387, 75" Double Bunk; ISX15 Cummins Engine 450 hp; 13 Spd OD; Engine Brake; Air Ride Suspension; 3.36 Ratio; 22.5 Tires; Aluminum Wheels; 235 in Wheelbase; Tri Pack APU, 397,044 Miles. (BD121128-WFF-3)



2012 Freightliner CA125 Cascadia, 72 in Mid Roof XT Sleeper; DD15 Detroit Engine 455 hp; Diesel; Automatic OD; Engine Brake; Air Ride; 2.47 Ratio; 22.5LP Tires; Aluminum Outside Wheels; 230 in Wheelbase; 417,500 Miles. (CSBH1220-TEM-3)



2013 Western Star 4900, DD15 Detroit Engine 505 HP, Diesel; 10 Spd OD; 3.90 Ratio; 24.5 Tires; All Aluminum Wheels; 220 in Wheelbase; 202,360 Miles. (DPFA5976-TYL-2)



2016 CTS HRD, End Dump Trailer, 32 Ft., Spring Suspension, 24.5 Tires, Steel Wheels, With Electric Slide. New. (GS000097-WAC-TRL-3)



2015 Eager Beaver 55 Ton Lowboy Trailer, 22.5 LP Tires, HYD Detach, Self Contained. Set Up For 4th, 26' Deck, 3 Axles. New. FL079824-TYL-TRL-2b



2007 Freightliner FLD120 Classic, MBE4000 Mercedes Engine 435 hp; Diesel; 10 Spd OD; 3.58 Ratio; 782,411 Miles. (7DX33766-TXK-2)



2010 Freightliner CA125 Cascadia, 72" Mid Roof, Detroit DD15, 455/475 HP, Engine Brake, 10 Spd Automated Trans, 2.64 Ratio, 230" WB, 22.5 LP Tires, Aluminum Wheels Front, Aluminum Outer Wheels, 406,000 Miles. (ASAR7214-TYL-3)



2011 Freightliner CA12564SLP Cascadia, 72 in Double Bunk; DD15 Detroit Engine 455 hp; 10 Spd OD; Engine Brake; Air Ride Suspension; 3.36 Ratio; 22.5 Tires; Aluminum Wheels; 225 in Wheelbase, 480,217 Miles. (BLAV6839-WFF-2)



2015 Transcraft Beaver Tail Ramps, 53' X 102" Single Drop Deck Trailer, Air Ride Suspension, Spread Axle, 22.5 LP Tires, Steel Wheels. New. (F3896013-SHV-TRL-3c)

www.LonestarTruckGroup.com

Lonestar Truck Group 2051 Hughes Road Grapevine, TX 76051

RETURN SERVICE REQUESTED

PRESORT STANDARD U S POSTAGE PAID GLOBAL MAIL

> ULTRA HIGH ROOF STRATOSPHERE

OO

00

00

00

WESTERN STAR

HAND BUILT IN THE USA

34 in.

40 in.

54 in.

68 in.

82 in.





You can also take efficiency to the next level with the Integrated Detroit Powertrain package. This combines down sped DD15 with the direct drive DT12 Transmission and specific rear axle ratio to provide the industry's most efficient powertrain package.

www.LonestarTruckGroup.com